

RAPIDO

LIVE, LOVE, TRAVEL



French Charm
& Expertise

SERIE 6F

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVV, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



656F



Low beds



ALDE Standard

655F

VEHICLE DIMENSIONS (M)		
Overall length	6,79	7,49
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height [A]	2,90	2,90
SEATS		
Number of seatbelts	2+2	2+3
Number of seats (vehicle certificate)	4	4*
Number of dining seats	4	5
Sleeping spaces	2+1	2+1
Sleeping spaces (with drop-down bed option)	2+2	2+2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	2985	3105
CHASSIS		
Chassis	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	3,8	4,035
Wider rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	91 x 87	80 x 80
Access right side (H x W)	75 x 60	55 x 60 + 35 x 65
Access left side (H x W)	-	35 x 65
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 4 CP PLUS	ALDE
BED SIZES (MM)		
Rear bed	1350 x 1950	2 x (760 x 1980)
Extra dinette bed (without drop-down bed)	820/850 x 2080	840/1000 x 2080
Extra dinette bed (with drop-down bed)	-	840/1000 x 1650
Drop-down bed in lounge area (Option)	1150/1300 x 1950	1150/1300 x 1950
AUTONOMY (L)		
Capacity of fresh water tank [C]	120/20	120/20
Capacity of waste water tank	90	90
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	142	149

* 4 registered seats without towing capability / 3 registered seats with towing capability; GVV 3650/4400 kg = 5 registered seats


** HEAVY chassis: GVV = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVV 3500 kg → GCW 5500 kg; 3650 kg → 5650 kg; 4400 kg → 6000 kg

[C] Fresh water tank can be filled up to 120 L, which results in a lower payload.

ULTIMATE *line* **2021** **ULTIMATE** *line* **2021** **ULTIMATE** *line* **2021**



666F

686F

696F

VEHICLE DIMENSIONS (M)			
Overall length	7,49	7,20	7,49
Overall width	2,35	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76
Overall height [A]	2,90	2,90	2,90
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4
Number of dining seats	5	4	5
Sleeping spaces	2+1	2+1	2+1
Sleeping spaces (with drop-down bed option)	2+2	2+2	2+2
WEIGHT			
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T**
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T
Unladen weight in running order (kg)	3020	3020	3045
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	4,035	4,035	4,035
Wider rear track (m)	1,98	1,98	1,98
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	120 x 114	88 x 114	88 x 114
Access right side (H x W)	105 x 87	100 x 87	100 x 87
Access left side (H x W)	85 x 87	70 x 87	70 x 87
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 EH CP PLUS & iNet
BED SIZES (MM)			
Rear bed	2 x (850 x 2050) or king size 1370 x 2060	1500 x 1940	1600 x 1960
Extra dinette bed (without drop-down bed)	870/980 x 2080	740/800 x 2080	870/980 x 2080
Drop-down bed in lounge area (Option)	1150/1300 x 1950	1150/1300 x 1950	1150/1300 x 1950
AUTONOMY (L)			
Capacity of fresh water tank [C]	120/20	120/20	120/20
Capacity of waste water tank	90	90	90
Type of refrigerator	Absorption	Absorption	Absorption
Refrigerator capacity	149	142	149

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

Equipment and comfort

LOW PROFILE

		656F	665F	666F	686F	696F
CONSTRUCTION						
NOVATECH Construction	WEIGHT (KG)	•	•	•	•	•
Impact-resistant polyester panels		•	•	•	•	•
Impact-resistant polyester roof		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
BODYWORK AND OPENINGS						
White bodywork, skirt and bumpers		•	•	•	•	•
Cab and front bumper in metallic iron grey		-	-	O	O	O
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P
Large living area door L: 540mm		-	•	•	-	•
Living area door mosquito screen		P	P	P	P	P
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed step		•	-	-	•	-
Insulated fixed step L		-	•	•	-	•
Living area windows with polyurethane frame		•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•
Panoramic opening cab roof		•	•	•	•	•
Large living room skylight with TEP* finish		•	•	-	-	-
Large living room skylight with backlit TEP* finish		-	-	•	•	•
Bedroom skylight with backlit TEP* finish		-	-	•	•	•
Transparent skylights with fly-screen and blind		•	•	•	•	•
External lighting above the living area door		LED	LED	LED	LED	LED
External 230 V and fresh water magnetic hatches		•	•	•	•	•
HEATING						
TRUMA Combi 4 heating with CP PLUS control panel		•	-	-	-	-
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK	-	•	•	•
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control		•	-	-	-	-
Floor heating in living area (230 V)	7	O	O	O	O	O
Heated waste water tank	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
External heating inspection hatch (drain access, maintenance)		-	•	-	-	-
STORAGE						
Access to storage area/garage from left and right side		-	-	•	•	•
Height-adjustable storage area/garage		-	-	-	•	•
Heated storage area/garage		•	•	•	•	•
Storage area LED ceiling light rail		•	•	•	•	•
External shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STYLE						
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
Gloss overhead cupboard doors (BELLAGIO)		O	O	O	O	O
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
TEP* cab edging strip with RAPIDO embroidery and double stitching		•	•	•	•	•
DENVER fabric upholstery		•	•	O	O	O
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	O	O	O	O	O
Leather upholstery: AUSTIN	8	O	O	O	O	O
TEP* upholstery: MILAN		-	-	•	•	•
Curtains		•	•	•	•	•
Living room and bedroom indirect lighting dimmer		-	-	•	•	•
LIVING ROOM						
Telescopic table leg/Extra occasional berth (no drop-down bed)		•	•	•	•	•
Telescopic table leg/Extra occasional berth (with drop-down bed)		-	•	-	-	-
High density resistant foam on living room seats		•	•	•	•	•
Magnetic bench seat backs		•	•	•	•	•
Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•
Folding table	1	•	RHD PACK	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabing - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•	•	•	•	•
3 assorted cushions to living room style		•	•	•	•	•
Day/night partition		•	-	-	-	-
Day/night partition with machined decor		-	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+3	2+2	2+2	2+2
Height-adjustable headrests		•	•	-	-	-
Face-to-face bench seat armrests		•	-	-	•	•
Right side bench armrest		-	•	-	-	-
Internal living area lighting		LED	LED	LED	LED	LED
Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
Double berth electrically-controlled drop-down bed with direct and indirect lighting	45	O	O	O	O	O
Living area and cab carpet kit	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
KITCHEN						
Laminated worktop		•	•	•	•	•
Worktop extension		•	-	-	-	-
Removable serving hatch shelf		-	•	-	-	-
Lighting under the bench		LED	LED	LED	LED	LED
Backlit kitchen window cladding with built in spice rack		•	•	•	•	•
Kitchen unit drawers with glossy white fronts		•	•	•	•	•
Self-closing drawers with electric central locking		•	•	•	•	•
Full-height sliding storage		•	-	-	-	-
Chromed brass kitchen tap with ceramic cartridge		•	•	•	•	•
2-burner stainless steel stove with separate black covers and piezo ignition		•	•	•	•	•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Refrigerator grill covers (for winter use)		•	•	•	•	•
Built-in cooker hood with LED lighting		•	•	•	•	•
28-litre oven with grill	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK

* TEP: Polyamide-coated fabric.

[A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, - = Not available, P = SELECT Pack

LOW PROFILE

		656F	665F	666F	686F	696F
BATHROOM						
Chrome finish bathroom accessories		•	•	•	•	•
Central XXL bathroom with double partition		-	-	•	•	•
Shower column with slate grey Plexiglas finish		•	•	•	•	•
Independent shower		-	-	•	•	•
Water-saving shower head (-22%)		•	•	•	•	•
Clothes drying rack		•	•	•	•	•
Stainless steel basin with brass mixer tap and ceramic cartridge		•	-	-	-	-
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	•	•	•	•
Camping toilet with removable tank, telescopic handle and castors		•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		-	-	•	•	•
BEDROOM						
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•
Permanent height-adjustable bed (≈ 20 cm), adjustment using hydraulic jack	15	-	-	-	•	•
Wall-mounted wardrobes with push lock system		-	-	-	•	•
Storage drawer on foot of central bed		-	-	-	•	•
Side storage alcoves with USB plugs and 12 V outlet		-	-	-	•	•
Fabric-covered backlit headboard		•	•	•	•	•
Reclinable headboard on permanent bed		-	-	-	•	•
Retractable central bed base		-	-	-	•	•
Raisable footboard for easier wardrobe access (high twin beds)		-	-	-	-	-
Mattress topper with memory foam on permanent bed	6	0	0	0	0	0
4 assorted cushions to bedroom style		•	•	•	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
ENERGY & COMFORT						
« Maintenance-free » leisure battery with coupler and separator (100 Ah)		•	•	•	•	•
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)	24	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
92Ah AGM leisure battery	3	0	0	0	0	0
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	0	0	0	0	0
« Coming home » mode with automatic awning light		•	•	•	•	•
Control panel		•	•	•	•	•
Centralised Fuse box with protected « accessories » exits		•	•	•	•	•
External 230 V connection		•	•	•	•	•
Internal 230 V plug		4	4	4	4	4
Internal 12 V plug		5	5	5	5	5
Internal 5 V USB port		5	5	5	5	5
Automatic inverter with anti-crash system, enabling you to travel with the heating on		P	P	P	P	P
Solar panel wiring setup		•	•	•	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•
EQUIPMENT OF THE CARRIER						
2.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
2.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	0	0	0	0	0
2.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)		0	0	0	0	0
ECO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp)	3	0	0	0	0	0
AdBlue® tank (litres)		19	19	19	19	19
75 L diesel tank		•	•	•	•	•
Automatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	0	0	0	0	0
Chassis 35L: possibility of 3.65T GWV		•	•	•	•	•
Heavy chassis = GWV 4,4 T (160 hp/180 hp)	40	-	0	0	0	0
ABS braking		•	•	•	•	•
Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		P	P	P	P	P
Traction+ with Hill Descent Control (helps control speed downhill)		•	•	•	•	•
Cruise control with limiter	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
SAFETY PACK with emergency braking system, centre line crossing alert, smart headlights, road sign recognition system and light/rain sensors	1	0	0	0	0	0
Driver and passenger air bags		•	•	•	•	•
Engine cold start assistance (Blow-by)		•	•	•	•	•
Engine immobiliser		•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		0	0	0	0	0
2nd remote key		P	P	P	P	P
Glossy black grill		•	•	•	•	•
Daytime running lights		•	•	•	•	•
LED day running lights		•	•	•	•	•
Fog lights	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Electric de-frosting side mirrors		P	P	P	P	P
Stabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Light alloy FIAT rims: 15"	-5	0	0	0	0	0
Light alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	0	0	0 / • HEAVY version	0 / • HEAVY version	0 / • HEAVY version
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		65	70	70	70	70
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		105	-	-	110	-
Motorcycle carrier [A] (option weight ± 5 kg)		80	-	-	85	-
Fix and go kit		•	•	•	•	•
EQUIPMENT OF THE CAB						
Cab door(s) with electric windows		•	•	•	•	•
Cab seats height adjustable		P	P	P	P	P
Original rotating cab seats with fabric to match the living area		•	•	•	•	•
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•	•
Cup holder		•	•	•	•	•
Manual cab air-conditioning		•	•	•	•	•
Automatic cab air-conditioning	1	0	0	0	0	0
Chrome-ringed instruments		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Leather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
DAB KENWOOD® multimedia system with 6.2" screen		P	P	P	P	P
DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions		0	0	0	0	0
Rear view camera with control screen built into the dashboard		P	P	P	P	P
GPS navigation	2	0	0	0	0	0
Radio controls on steering wheel		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Mecanical sunshades		•	•	•	•	•
Tinted windows		•	•	•	•	•
Thermal flap blinds for cab doors and runner blinds for windscreen		P	P	P	P	P
Winter exterior insulation	5	0	0	0	0	0
Inside rear mirror		•	•	•	•	•

** 140 hp: 58 kg, 160/180 hp: 15 kg.

All data (weight / measures) are indicated with a tolerance of 5%.

FIAT chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.

Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.

Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

PACKS (option)

SELECT PACK : Series C, 6F and 8F | SELECT + PACK : Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6.2" screen (C, 6F, 8F)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions (80dF)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control (80dF)
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen (C, 6F)
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (8F, 80dF)
- Living area door with 2-point locking, fixed window (C)
- Living area door with 2-point locking, fixed window and inbuilt bin (6F, 8F, 80dF)
- Driver's door with 2-point locking (8F, 80dF)
- Living area door flyscreen
- 2nd remote key
- Second living-area battery (C)
- Automatic Duo Control gas inverter (6F, 8F, 80dF)

EXECUTIVE PACK : Serie DISTINCTION

- Rear view camera with night vision (Double view on i10)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric on i10)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

M PACK : Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPOMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)

RAPIDO
www.rapido.fr

414 RUE DES PERROUNS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: $MPM = (D \times T \times 1000) / ((T \times 9,81) - (1000 \times D))$, with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.