

LIVE, LOVE, TRAVEL



French Charm & Expertise

SERIE 80dF

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additi onal equipment he installed or has had installed in the vehicle.







8065dF

8066dF

Vertill Engith 7,49 7,49 Overall Welth Bright 7,49 2,35 2,35 Overall Legrange width with rear view mirrors open 2,76 2,76 2,76 Overall Legrange width with rear view mirrors open 2,76 2,76 2,76 Overall Legrange width with rear view mirrors open 2,78 4 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,76 2,77		80050F	
Overall lungh 7,49 7,49 Overall years gav width with rear view mirrors open 2,76 2,76 Overall height 2,99 (a) 2,94 EXEX 2,99 (a) 2,94 SEAD 2,99 (a) 2,94 EXEX 2.99 (a) 2,94 Number of seatches 2-2 2-2 Number of seatches (which certificate) 3° 4° Number of fining seats 5 5 5 Stepping spaces (with option fin oab bed) 2-2 2-2 Stepping spaces (with option fin oab bed) 2-2 2-2 Stepping spaces (with option fin oab bed) 2-2 1-2 Gross vehicle weight 100 HT 5.5T 7.365T 1-2 WISTON 100 HT 5.5T 7.365T 1-2 Permissible CCW (Gross Combined Weight) (8) 10 HT A.747 1-2 HT A.747 Parmissible CCW (Gross Combined Weight) (8) 10 HT A.747 1-2 HT A.747 Parmissible CCW (Gross Combined Weight) (8) 1-2 HT A.1470 1-2 HT A.1470 CHAST 1-2 1-2 HT A.1470 1-2 HT A.1470 <	VEHICLE DIMENSIONS (M)		
Overall spanges within with rear view minros open open language with with with with with with with with		7.49	7.49
Overall keight (grange' width with rear view mirrors open (overall keight) 2,76 (a.) 2,76 (a.) 2,76 (a.) 2,76 (a.) 2,76 (a.) 2,76 (a.) 2,77 (a.)			
Over Interior Seattle (1987) 2,98 (A) 2,94 EXFS Very Professible (1987) 2,92 2,92 Number of seattle (self-licate) 3° 4° Number of seats (vehicle certificate) 3° 4° Steping spaces 2,92 2,22 Steping spaces (with option of no cab bed) 2+1 USA VEX. VEX. USA 2,12 William (1987) USA 2,12 <th< td=""><td></td><td></td><td></td></th<>			
EXPA Care of Seate (Seate) (Se			
Number of saats (wehicle certificate) 3' 4" Number of dining seats 5 5 Steeping spaces (with option of no cab ded) 242 242 Steeping spaces (with option of no cab ded) 241 242 WERCHY WERCHY WERCHY Were weight LIGHT 35.5T / 36.5T LIGHT 3.5.T / 36.5		727 6 4	<i>Y</i> *
Number of dining seats 5 5 5 5 5 5 5 5 5	Number of seatbelts	2+2	2+2
Skeeping spaces 2+2 2+2 2+2 Skeeping spaces (with option of not ab bed) 2+1 <th< td=""><td>Number of seats (vehicle certificate)</td><td>3*</td><td>4**</td></th<>	Number of seats (vehicle certificate)	3*	4**
Seeping spaces (with option of not able bed) 2+1 2+1 WEICH WEICH BIGHT 3.5 T 3,655 T HEAW1,4 T TO BIGHT 3.5 T 3,655 T HEAW1,4 T TO Gross vehicle weight BIGHT 3.5 T 3,655 T HEAW1,6 T LIGHT 3.5 T 3,655 T HEAW1,6 T Permissible GCW (Gross Combined Weight) (B) 3170 3125 Unlade newight in running order (kg) 3170 3125 Unlade weight in running order (kg) 3170 3125 CHASSI FIAT ALK0 51AT ALK0 Engine equipment 2,3 1-40 hp 2,3 1-40 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheel base (m) 4,3 3,3 Violence Function (M) 1,5 2.0 x (55-83) x 20 3,2 Middler enables (m) 1,5 2.0 x (55-83) x 20 1,5 2.0 x (53-83) x 20 Acces of englistide (Hx W) 2,3 x 47+23 x 47 2,3 x 47+23 x 62 Acces of englistide (Hx W) 3 x 14 1,2 x 47 Acces of englistide (Hx W) 3 x 14 1,2 x 47 Acces of englistide (Hx W) 3 x 14 1,2 x 47 Acces of englistide (Hx W) 3 x 29	Number of dining seats	5	5
WEIGHT Cores we hicke weight LIGHT: 3.5 T / 3.65 T HEAW: 4.4 T *********************************	Sleeping spaces	2+2	2+2
Gross whicke weight LIGHT: 35.77 /3.65.7 /1.6	Sleeping spaces (with option of no cab bed)	2+1	2+1
Gross venice weight HEANY:4,4T*** HEANY:4,4T*** Permissible CCW (Gross Combined Weight) (B) LIGHT:5,5T LIGHT:5,5T LIGHT:5,5T HEANY:6,T Unladen weight in running order (kg) 3170 3125 CHASSIS FISTAL KO FISTAL KO Engine equipment 2,31-140 hp 2,31-140 hp Anti-pollution standard EURO Gd-temp EEURO Gd-temp Wheelbase (m) 4,3 4,3 Wheelbase (m) 4,3 4,3 Wilder ear track (m) 1,98 1,98 STORACE DUCK (CM Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access fight side (h x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (h x W) 93 x 114 120 x 114 Access left side (h x W) 93 x 114 120 x 114 Access left side (h x W) 23 x 89 112 x 89 Access left side (h x W) 23 x 89 112 x 89 Access left side (h x W) 2 x (WEIGHT		
Permission Coll willowing the William South Commission Coll willowing the William South Coll Sail Sail Sail Sail Sail Sail Sail Sa	Gross vehicle weight		
CHASSIS FIAT AL-KO FIAT AL-KO Chassis FIAT AL-KO FIAT AL-KO Engine equipment 2,3 L-140 hp 2,3 L-140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 4,3 4,3 Wider rear track (m) 1,98 1,98 STORAGE DUBLE FLOOR (CM) TW TW Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) 70 X PS Yes STORAGE AREA/GARAGE (CM) Yes Yes Internal dimensions (max H x max W) 93 x 114 120 x 114 Access left side (H x W) 7 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes LEFATING Yes Yes Place In Legal (H x W) 2 x (80 x 250) or king size 1370 x 2050 Yes Place In Legal (H x W) 3 x 89 112 x 89 Heated Yes </td <td>Permissible GCW (Gross Combined Weight) [B]</td> <td></td> <td></td>	Permissible GCW (Gross Combined Weight) [B]		
Chasis FIAT AL-KO FIAT AL-KO Engine equipment 2,3 1-140 hp 2,3 1-140 hp Ath-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 4,3 4,3 Wider car track (m) 1,98 1,98 STORAGE DOUGK (M) Internal dimensions of main storage (17,5-20)×(55-83)×210 (17,5-20)×(53-83)×210 Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) 70 x 80 10 x 80 Access left side (H x W) 9 x 81 12 x 81 Access right side (H x W) 93 x 114 12 x 81 Access right side (H x W) 7 x 89 112 x 89 Access right side (H x W) 23 x 89 112 x 89 Access right side (H x W) 23 x 89 112 x 89 Access right side (H x W) 23 x 89 112 x 89 Access right side (H x W) 20 x 89 12 x 89 Beated Yes Yes Beated Yes Yes Beated Yes Yes <td< td=""><td>Unladen weight in running order (kg)</td><td>3170</td><td>3125</td></td<>	Unladen weight in running order (kg)	3170	3125
Engine equipment 2,3 1-140 hp 2,3 1-140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 4,3 4,3 Wider retrack (m) 1,98 1,98 STORAGE DOUBLE FLOOR (CM) TOTRAGE DOUBLE FLOOR (CM) Storage in fly side (h x W) (7,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access right side (h x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access right side (h x W) NOVABOX + 23 x 72 NOVABOX + 23 x 72 Reted Yes Yes STORAGE FLOW Internal dimensions (max H x max W) 93 x 114 10 x 114 Access right side (H x W) 39 x 114 10 x 14 Access right side (H x W) 72 x 89 112 x 89 Access right side (H x W) 72 x 89 112 x 89 Access right side (H x W) A LDE Yes Proper of leasting A LDE Truma Combis EHCP PLUS & iNet / OPTION ALDE	CHASSIS		
Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 4,3 4,3 Wider rear track (m) 1,98 1,98 STORAGE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (55-83) x 210 Access left side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) 30 X 0ABOX + 23 x 72 30 X 0ABOX + 23 x 72 Beated On Yes 120 x 114 Access left side (H x W) 33 x 114 120 x 114 Access left side (H x W) 32 x 89 112 x 89 Access left side (H x W) 72 x 89 112 x 89 Access left side (H x W) 72 x 89 112 x 89 Access left side (H x W) 6 x 8 7 x 8 Access left side (H x W) 10 x 80 12 x 89 Access left side (H x W) 7 x 89 112 x 89 Access left side (H x W) 7 x 80 7 x 80 Access left side (H x W) 2 x (80 x 2005 or king size 1370 x 2000	Chassis	FIAT AL-KO	FIAT AL-KO
Wheelbase (m) 4,3 4,3 Wider cer track (m) 1,98 1,98 STORAGE DOUBLE FLOOR (CM) TURNAGE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5-20)x(55-83)x 210 (17,5-20)x(55-83)x 210 Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) NOVABOX + 23 x 72 NOVABOX + 23 x 72 Betade NOVABOX + 23 x 72 NOVABOX + 23 x 72 Internal dimensions (max H x max W) 93 x 114 120 x 114 Access left side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Access left side (H x W) 2 x 89 112 x 89 Heated Yes Yes Petation Yes Yes Betated Yes Yes Betated Yes Yes Petation Yes Yes Betated Yes Yes Betated Yes Yes Petation Yes Yes Petation Yes	Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Wider rear track (m) 1,98 1,98 STORAGE DOUBLE FLOOK (CM) Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access right side (H x W) 32 x 47 + 23 x 47 32 x 47 + 23 x 62 Access left side (H x W) NOVABOX + 23 x 72 30 x 47 + 23 x 72 Heated Yes Yes STORAGE REA/GARGE (CM) Internal dimensions (max H x max W) 93 x 114 12 x 14 Access right side (H x W) 72 x 89 112 x 89 Access right side (H x W) 23 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Reated Yes Yes HEATED STORAGE (CM) Yes BED SIZES (MD) Tuma Combié ELCP PLUS & iNet / OPTION ALDE & iNet /	Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
STORAGE DOUBLE FLOOR (CM) Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) NOVABOX + 23 x 72 NOVABOX + 23 x 72 Heated Yes Yes STORAGE REA/GARGE (CM) Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes Type of heating ALDE Truma Combi 6 EH CP PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (OPTION ALDE & inter (Detail of the CP) PLUS & inter (Detail of the CP)	Wheelbase (m)	4,3	4,3
Internal dimensions of main storage (17,5-20) x (55-83) x 210 (17,5-20) x (53-83) x 210 Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) NOVABOX + 23 x 72 NOVABOX + 23 x 72 Access left side (H x W) Yes Yes STORAGE AREA/GARASE (CM) 120 x 114 Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) Yes Yes Heated Yes Yes Access right side (H x W) 120 x 114 Yes Access right side (H x W) 72 x 89 112 x 89 Access right side (H x W) Yes Yes Access right side (H x W) Yes Yes Access right side (H x W) 70 x 89 112 x 89 Access right side (H x W) Yes Yes Best side (H x W)	Wider rear track (m)	1,98	1,98
Access right side (H x W) 23 x 47 + 23 x 47 23 x 47 + 23 x 62 Access left side (H x W) NOVABOX + 23 x 72 NOVABOX + 23 x 72 Heated Yes Yes STORAGE AREA/GRAGE (CW) Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 122 x 89 Access left side (H x W) 72 x 89 122 x 89 Heated Yes Yes Feature Beated Yes Yes Heated ALDE Truma Combis EH CP PLUS & iNet / OPTION ALDE & iNet PLUS / NET Heated 2 x (850 x 2050) or king size 1370 x 2060 Per AUTON ALDE & iNet Purposition Autonomic Services (Services Medical Planta Albert (PLUS & iNet / OPTION ALDE & iNet Purposition Albert (PLUS & iNet / OPTION ALDE & iNet Pu	STORAGE DOUBLE FLOOR (CM)		
Access left side (H x W) NOVABOX + 23 x 72 Heated Yes Yes STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes Heated Yes Yes Heated Yes Yes BED SIZES (MM) Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 AUTONOMY (L) Capacity of fresh water tank (C) 130/20 130/20 Capacity of waste water tank 110 110 Absorption	Internal dimensions of main storage	(17,5 - 20) x (55 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Heated Yes Yes STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 72 x 89 112 x 89 Heated Yes Yes HEATING Truma Comb i 6 EH CP PLUS & iNet / OPTION ALDE & iNet Type of heating ALDE Truma Comb i 6 EH CP PLUS & iNet / OPTION ALDE & iNet EED SIZES (MM) 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) 2 130/20 Capacity of fresh water tank [C] 130/20 130/20 Capacity of vaste water tank 110 110 Type of refrigerator Absorption Absorption	Access right side (H x W)	23 x 47 + 23 x 47	23 x 47 + 23 x 62
STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes HEATING Type of heating A LDE Truma Combi 6 EH CP PLUS & inter / OPTION ALDE & inter / OPTI	Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Internal dimensions (max H x max W) 93 x 114 120 x 114 Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes HEATING Type of heating ALDE Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) Rear bed 2 x (760 x 1980) 2 x (850 x 2550) or king size 1370 x 2060 Coverab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	Heated	Yes	Yes
Access right side (H x W) 72 x 89 112 x 89 Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes HEATING Type of heating ALDE Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) 2 Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	STORAGE AREA/GARAGE (CM)		
Access left side (H x W) 23 x 89 112 x 89 Heated Yes Yes HEATING Toyan Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) 2 130/20 130/20 Capacity of fresh water tank (C) 130 110 110 Type of refrigerator Absorption Absorption	Internal dimensions (max H x max W)	93 x 114	120 x 114
Heated Yes Yes HEATING Type of heating ALDE Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	Access right side (H x W)	72 x 89	112 x 89
HEATING Type of heating ALDE Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Quercab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) 30/20 130/20 Capacity of fresh water tank (C) 130 / 20 130 / 20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	Access left side (H x W)	23 x 89	112 x 89
Type of heating ALDE Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet BED SIZES (MM) 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 400 x 1910 AUTONOMY (L) 2 apacity of fresh water tank [C] 130/20 <		Yes	Yes
BED SIZES (MM) Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	HEATING		
Rear bed 2 x (760 x 1980) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Table of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	**	ALDE	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet
Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) To apacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	BED SIZES (MM)		
AUTONOMY (L) Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption		, ,	
Capacity of fresh water tank [C] 130/20 130/20 Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	•	1400 x 1910	1400 x 1910
Capacity of waste water tank 110 110 Type of refrigerator Absorption Absorption	AUTONOMY (L)		
Type of refrigerator Absorption Absorption			,
	Capacity of waste water tank	110	110
Refrigerator capacity 167 167	Type of refrigerator	Absorption	Absorption
	Refrigerator capacity	167	167

GWW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability; GWW 3650/4400 kg = 4 registered seats

GVW 3500 kg = 4 registered seats without towing capability (except 140 hp Automatic gearbox) / 3 registered seats with towing capability; 140 hp Automatic gearbox = 3 registered seats without towing capability /2 registered seats with towing capability; GWW 3650/4400 kg = 4 registered seats
GWW 3500 kg = 4 registered seats, except 140 hp Automatic gearbox = 3 registered seats without towing capability / 2 registered seats with towing capability; 160 hp/180 hp Automatic gearbox = 4 registered seats

without towing capability, 3 registered seats with towing capability; GVW 3650/4400 kg = 4 registered seats

[[]B] GVM 3500/3650 kg → GCM 5500 kg : 4400 kg → 6000 kg [C] Fresh water tank can be filled up to 130 L, which results in a lower payload.













8086dF

8094dF

8096dF

	00000	000 1011	00000		
VEHICLE DIMENSIONS (M)					
Overall length	7,20	7,49	7,49		
Overall width	2,35	2,35	2,35		
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76		
Overall height	2,94	2,89 [A]	2.94		
SEATS	2,5 1	2,00 [A]	2,0 1		
Number of seatbelts	2+2	2+2	2+2		
Number of seats (vehicle certificate)	4***	4**	4**		
Number of dining seats	4	5+5	5		
Sleeping spaces	2+2	2+2	2+2		
Sleeping spaces (with option of no cab bed)	2+1	2+1	2+2 2+1		
WEIGHT	211	211	211		
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****		
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T		
Unladen weight in running order (kg)	3085	3125	3125		
CHASSIS					
Chassis	FIAT AL-KO	FIAT AL-KO	FIAT AL-KO		
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp		
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp		
Wheelbase (m)	4,035	4,3	4,3		
Wider rear track (m)	1,98	1,98	1,98		
STORAGE DOUBLE FLOOR (CM)					
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210		
Access right side (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62	23 x 47 + 23 x 62		
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72		
Heated	Yes	Yes	Yes		
STORAGE AREA/GARAGE (CM)					
Internal dimensions (max H x max W)	90 x 114	60 x 114	90 x 114		
Access right side (H x W)	117 x 89	52 x 89	117 x 89		
Access left side (H x W)	112 x 89	52 x 89	112 x 89		
Heated	Yes	Yes	Yes		
HEATING					
Type of heating	Truma Combi 6 EH CP PLUS & iNet	Truma Combi 6 CP PLUS	Truma Combi 6 EH CP PLUS & iNet / OPTION ALDE & iNet		
BED SIZES (MM)					
Rear bed	1500 x 1940	1480 x 2100	1600 x 1960		
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910		
AUTONOMY (L)					
Capacity of fresh water tank [C]	130/20	130/20	130/20		
Capacity of waste water tank	110	110	110		
Type of refrigerator	Absorption	Absorption	Absorption		
	Absorption	7.050. pt.o	7.6501ptio11		

SERIE 80dF

Equipment and comfort

-CLASS		8065dF	8066dF	8086q	8094dF	8096dE
ONSTRUCTION OVATECH Construction	WEIGHT (KG)	•	•	•		•
npact-resistant polyester panels npact-resistant polyester roof		•	•	•	•	•
olyester floor external protection oor bodywork with polyurethane		•	:	•	•	•
cor bodywork with polydrethane cyrofoam® insulation (walls + roof + floor)		•	•	•	•	•
corage area in robust polyurethane ODYWORK AND OPENINGS		•	•	•	•	•
hite bodywork, skirt and bumpers		•	•	•	•	•
ving area door with 2-point locking, fixed window and inbuilt bin arge living area door L: 540mm		P	P	Р	P	P
ving area door mosquito screen		P	Р	P	Р	P
emote control locking of the cab and living area doors sulated fixed step		•		•	•	•
sulated fixed step L		•	•	-	•	•
etractable electric living area step ving area windows with polyurethane frame (except left rear window on 8094dF)		•	- :	•	•	•
ouble glazed living area windows with blind/fly-screen combination			- :	•	•	•
arge living room skylight with TEP* finish arge living room skylight with backlit TEP* finish		•		-	•	-
edroom skylight with backlit TEP* finish		-	•	•	-	•
ansparent skylights with fly-screen and blind		•		•	•	•
kternal lighting above the living area door kternal 230 V and fresh water magnetic hatches		LED •	LED	LED •	LED	LED
EATING						
RUMA Combi 6 heating with CP PLUS control panel RUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	-	•	•	RHD PACK	•
DE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	•	0	-	-	0
eating distributed via the living room table leg (except telescopic leg) LDE living area floor heating with hot water (only available with ALDE heating)	8	0	0	•	-	0
RUMA windscreen heating duct (not compatible with WEBASTO)		-	•	•	•	•
dditional Webasto 2kW fuel-powered cab heating eated waste water tank	8	0	0	0	0	0
xternal heating inspection hatch (drain access, maintenance)		•	•	•	·	•
TORAGE ransverse storage double floor with internal and external access				•		
eated, lit double floor		•	•	•	•	•
ccess to storage area/garage from left and right side		•	•	•	•	•
orage area/garage with left and right lowered floor eight-adjustable storage area/garage		-	-	•	•	•
eated storage area/garage		•	•	•	•	•
corage area LED ceiling light rail kternal shower with hot and cold water	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
TYLE						
ACARAT (with solid maple wood) or BELLAGIO furniture loss overhead cupboard doors (BELLAGIO)		0	0	0	0	0
ving room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
ab bed bottom with stitched TEP* design and LED lights ab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•
ENVER fabric upholstery		•	0	0	•	0
abric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS eather upholstery: AUSTIN	5 8	0	0	0	0	0
EP* upholstery: MILAN	- 0	-	•	•	-	•
urtains ving room and bedroom indirect lighting dimmer		•	- :	•	•	•
VING ROOM			,	•		
igh density resistant foam on living room seats agnetic bench seat backs		:	- :	•	<u>:</u>	•
agnetic bench seat backs minated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	•	•	•	•
olding table at screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
at screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•	•	-	•	•
uilt in TV unit with backlighting and storage		•	•	•	•	•
peakers in the living area potlight base under overhead cupboards with inbuilt USB port and dimmer		•	- :	•	:	•
cushions matching the living room style (rear lounge)		-	-	-	•	-
assorted cushions to living room style ay/night partition with machined decor		•	- :	•	:	•
point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
ace-to-face bench seat armrests ternal living area lighting		LED	LED	LED	LED	LED
mbience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
ving area and cab carpet kit ITCHEN	11	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
aminated worktop		•	•	•	•	•
orktop extension ghting under the bench		• LED	LED	• LED	LED	• LED
acklit kitchen window cladding with built in spice rack		•	•	•	•	•
tchen unit drawers with glossy white fronts elf-closing drawers with electric central locking		•	:	•	:	•
hromed brass kitchen tap with ceramic cartridge				•		•
burner stainless steel stove with separate black covers and piezo ignition		● DHD DVCN	RHD PACK	• RHD PACK	RHD PACK	RHD PACK
burner stainless steel stove with separate black covers and piezo ignition ktra-deep fridge		RHD PACK	RHD PACK	- KILD PACK	RHD PACK	• KHU PACP
efrigerator grill covers (for winter use)		•	•	•	•	•
with the department of width LED lighting	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACE
uilt-in cooker hood with LED lighting 3-litre oven with grill	13		•			
3-litre oven with grill ATHROOM	15					
3-litre oven with grill ATHROOM From finish bathroom accessories	15	•	•	•	•	•
3-litre oven with grill ATHROOM nrome finish bathroom accessories entral XXL bathroom with double partition nower column with slate grey Plexiglas finish		• -	•	•	•	•
S-litre oven with grill ATHROOM nrome finish bathroom accessories entral XXL bathroom with double partition nower column with slate grey Plexiglas finish dependent shower		-	•	•	•	•
8-litre oven with grill ATHROOM nrome finish bathroom accessories entral XXL bathroom with double partition nower column with slate grey Plexiglas finish dependent shower ater-saving shower head (-22%) othes drying rack		- • - •	•	•	•	•
S-litre oven with grill ATHROOM ATHROO		- • -	•	•	•	•

A-CLASS		8065aF	8066dF	8086dF	8094dF	8096aF
BEDROOM Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress	WEIGHT (KG	•				
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-	-	•	-	•
Backlit wall-mounted wardrobes with push lock system Storage drawer on foot of central bed		-	-	•	-	•
Side storage alcoves with USB plugs and 12 V outlet		-	-	•	-	•
Fabric-covered backlit headboard Reclinable headboard on permanent bed		•	•	•	•	•
Retractable central bed base		-	-	•	-	•
Raisable footboard for easier wardrobe access (high twin beds) Mattress topper with memory foam on permanent bed LED projector with large screen and electric remote + subwoofer with speakers + KENWOOD® navigation system 4 assorted cushions to bedroom style	6	0	0	- O -	0	- O -
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
ENERGY & COMFORT Maintenance-free » leisure battery with coupler and separator (100 Ah)				•		
Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery) ITHIUM living area battery prewiring - SUPER B READY	24	RHD PACK				
i2Ah AGM leisure battery second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	0	0	0	0	0
Coming home a mode with automatic awning light and electric entry step iving area entry step backlighting when door opens	3	•	•	•	•	•
Control panel		•	•	•	•	•
IOVABOX: Better access to service area Centralised Fuse box with protected « accessories » exits		•	•	•	•	•
entrailsed ruse box with protected « accessories » exits external 230 V connection		•	•	•	•	•
nternal 230 V plug		6	6	6	7	6
nternal 12 V plug nternal 5V USB port		5	5	5	5	5
utomatic inverter with anti-crash system, enabling you to travel with the heating on iolar panel wiring setup		P •	P •	P •	P •	P •
Centralised water distribution (access to all fittings)		•	•	•	•	•
.3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
.3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	0	0	0	0	0
.3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp) CO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp) dBlue® tank (litres)	3	0 0 19	0 0 19	0 0 19	0 0 19	0 0 19
5 L diesel tank		•	•	•	•	•
0 L diesel tank	15/58**		HEAVY version O	HEAVY version O	HEAVY version	HEAVY version O
utomatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK) hassis 35L: possibility of 3.65T GVW	13/36	•	•	•	•	•
leavy chassis = GVW 4,4 T (160 hp/180 hp)	40	0	0	0	0	0
MS braking special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder raction+ with Hill Descent Control (helps control speed downhill)		P P	P	P P	P	P P
Cruise control with limiter Driver and passenger air bags		P •	P	P •	P	P
ingine cold start assistance (Blow-by)		•	•	•	•	•
ingine immobiliser PMS (automatic tyre pressure monitoring system)		0	0	0	0	0
Ind remote key		P	P	P	P	P
ED day running lights	1	• RHD PACK	RHD PACK	• PLID DACK	RHD PACK	• DUD DACK
og lights Bus-style wing mirrors: electric and de-icing/white	1	P	P	RHD PACK P	P	RHD PACK P
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/white		RHD PACK				
Reinforced front axle suspension Air Premium rear suspension x2 (HEAVY version >= 4.4 T only)	45	HEAVY version O				
ir Premium front/rear suspension x4 (HEAVY >= 4.4 T only) = Full Air	55	Ö	0	Ö	0	Ö
LC AL-KO rear suspension CS front suspension (not compatible with Air Premium x4 suspension)	20	0	0	0	0	0
ndependent rear wheel suspension (AL-KO)	3	•	•	•	•	•
stabilising jacks at the back or in the wheelbase	5	RHD PACK				
stabilising jacks HEAVY model specifics .ight alloy FIAT rims: 16" (+4.5 cm vehicle height)	12	HEAVY version O	HEAVY version	HEAVY version	HEAVY version O	HEAVY Version
ow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		53	53	53	53	53
Notorcycle carrier + Tow bar [A] (option weight ± 5 kg) Notorcycle carrier [A] (option weight ± 5 kg)		100 65	100 65	100 65	100 65	100 65
ix and go kit		•	•	•	•	•
EQUIPMENT OF THE CAB Oriver door with electric windows		•		•		•
river door with electric windows		P	P	P	P	P
ab seats height adjustable original rotating cab seats with fabric to match the living area		Р	Р	Р	Р	Р
original rotating cab seats with fabric to match the living area (mbroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
Cup holder		•	•	•	•	•
Ianual cab air-conditioning utomatic cab air-conditioning	1	0	0	0	0	0
ack-assisted foldaway cab bed with slat base and BULTEX® foam mattress	1	•	•	•	•	•
lack thermoformed dashboard chrome-ringed instruments		• RHD PACK	RHD PACK	• RHD PACK	RHD PACK	RHD PACK
eather steering wheel and gear knob		RHD PACK				
AB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions		Р	Р	Р	Р	Р
lear view camera with control screen built into the dashboard PS navigation	2	P 0	P 0	P 0	P 0	P 0
adio controls on steering wheel		RHD PACK				
fechanical wind-down sunshade 'inted windows		•	•	•	•	•
inted windows hermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P	P	• P	P	• P
Vinter exterior insulation	5	0	0	0	0	0
Oouble-glazed side bays in cab (except driver's door) Vithout cab bed, with retractable table leg for bed position	10	0	0	0	0	0

PACKS (option)

SELECT PACK: Series C, 6F and 8F | SELECT + PACK: Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6.2" screen (C, 6F, 8F)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions (80dF)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder

- Traction+ with Hill Descent Control (80dF)
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen **(C, 6F)**
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (8F, 80dF)
- Living area door with 2-point locking, fixed window **(C)**

- Living area door with 2-point locking, fixed window and inbuilt bin (6F, 8F, 80dF)
- Driver's door with 2-point locking (8F, 80dF)
- Living area door flyscreen
- 2nd remote key
- Second living-area battery (C)
- Automatic Duo Control gas inverter (6F, 8F, 80dF)

EXECUTIVE PACK: Serie DISTINCTION

- Rear view camera with night vision (Double view on i10)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric on **i10**)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

M PACK: Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)



414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation:

MPM = (DxTx1000)/[(Tx9,81)-(1000xD)], with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.