

LIVE, LOVE, TRAVEL



French Charm & Expertise

SERIE 8F

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additi onal equipment he installed or has had installed in the vehicle.







856F 866F

Vertice DMENSIONS (M) 7,49 Overall veight 6,35 2,35 Overall veight 2,36 2,76 Overall veight (M) 2,89 2,89 EXPS EXPS Number of seatbeths 2½2 2½2 Number of flining seats 4 4 Number of flining seats 4 5 Steeping spaces (with option of no cab bed) 2½1 2½2 Steeping spaces (with option of no cab bed) 2½1 2½1 WEIGHT Gross vehicle weight UGHT: 55.T HGMT: 35.T / 35.T / 35.T WEIGHT WEIGHT UGHT: 55.T HGMT: 35.T / 35.T / 35.T HEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT WEIGHT <td< th=""><th></th><th></th><th></th></td<>			
Overall width 2,35 2,35 Overall segange width with rear view mirrors open 2,76 2,76 Overall segange width with rear view mirrors open 2,78 2,78 Coverall segange width with rear view mirrors open 2,89 2,89 EXPENDATE OF SEAS SEAS SEAS SEAS SEAS SEAS SEAS SEA	VEHICLE DIMENSIONS (M)		
Overall width 2,35 2,35 Overall segange width with rear view mirrors open 2,76 2,76 Overall segange width with rear view mirrors open 2,78 2,78 Coverall segange width with rear view mirrors open 2,89 2,89 EXPENDATE OF SEAS SEAS SEAS SEAS SEAS SEAS SEAS SEA	Overall length	6.79	7.49
Overall e garage « width with rear view mirrors open 2,76 2,75 Overall height (A) 2,89 2,89 SEXF Verall per festablets 242 2+2 Number of seath betts 4 4* Number of seath (which certificate) 4 4* Number of seath (with certificate) 4 4* Number of seath (with certificate) 4 5 Steeping spaces 2+2 2+2 Steeping spaces (with ord from cab bed) 2+2 2+2 Steeping spaces (with ord from cab bed) 2+2 2+2 Steeping space (with ord from cab bed) 2+2 2+2 Steeping space (with ord from cab bed) 2+2 2+2 Steeping space (with ord from cab bed) 2+2 2+2 Steeping space (with ord from cab bed) 2+2 2+2 Steeping space (with ord from cab bed) 1-2 1-2 Well Steep (Micros) 1-2 1-2 1-2 Permissible CW (Gross Combined Weight) [8] 1-2 1-2 1-2 1-2 1-2 1-2 1-2 1	Overall width	2,35	
SEATS Vanuer of seathelits 2+2 2+2 Number of seath (which certificate) 4 4* Number of dining seats 4 5 Steeping spaces 2+2 2+2 Steeping spaces (with option of no cab bed) 2+1 2+2 Steeping spaces (with option of no cab bed) 2+1 2+2 WEIGHT WEIGHT WEIGHT WEIGHT (ST) ASST (ASST) LIGHT: 55T (ASST) LIGHT	Overall « garage » width with rear view mirrors open		
Number of seats (vehicle certificate) 2+2 2+½ Number of seats (vehicle certificate) 4 4 Number of filings seats 4 5 Sleeping spaces 2+2 2+2 Sleeping spaces (with option of no cab bed) 2+1 2+1 WEIGHT URIGHT 3,5T /3,65T WEIGHT Gross vehicle weight LIGHT 3,5T /3,65T LIGHT 3,5T /3,65T WEIGHT Unladen weight in running order (kg) 3055 3120 CHASSI Unladen weight in running order (kg) 3055 3120 CHASSI Unladen weight in running order (kg) 3055 3120 CHASSI Unladen weight in running order (kg) 3055 3120 CHASSI Unladen weight in running order (kg) 3055 3120 CHASSI Unladen weight in running order (kg) 404 45 CHASSI 404 5 <td< th=""><th>Overall height [A]</th><th>2,89</th><th>2,89</th></td<>	Overall height [A]	2,89	2,89
Number of seats (vehicle certificate) 4 4' Number of dining seats 4 5 Skeping spaces 2-2 2-2 Steping spaces (with option of not abbed) 2-1 2-2 3-2 2-2 3-2 2-2 3-2 2-2 3-2 2-2 3-2 2-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2 3-2	SEATS		
Number of dining seates 4 5 Sleeping spaces 2+2 2+2 Sleeping spaces (with option of no cab bed) 2+2 2+2 WEIGHT WEIGHT Gross vehicle weight (with option of no cab bed) LIGHT: 3,5 T / 3,65 T HEAV*: 6 T H	Number of seatbelts	2+2	2+2
Seeping spaces	Number of seats (vehicle certificate)	4	4*
Sleeping spaces 2+2 2+2 Sleeping spaces (with option of no bb bd) 2+1 2+2 WEKORT VERONT VERONT Gross whick weight LIGHT: 3,5 T/ 3,65 T LIGHT: 3,5 T/ 3,65 T Permissible GCW (Gross Combined Weight) (B) LIGHT: 5,5 T LIGHT: 5,5 T In aloan weight in running order (kg) 3,055 3,120 CHASSIS FIAT FIAT Brighne equipment 2,3 L. 140 hp 3,21 L. 140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wilder rear track (m) 3,8 4,035 Wilder rear track (m) 3,8 4,035 Viller rear track (m) 1,9 1,9 TORACE AREA/CREAK 1 1 STORACE AREA/CREAK 1 1 Recess left side (Hx W) 5x 60 110 x 87 Access left side (Hx W) 5x 60 15 x 14 Access left side (Hx W) 7 tuna Combi 6 CP PLUS 7 tuna Combi 6 CP PLUS Rea Combined Combined Combined CP PLUS 7 tuna Combi 6 CP PLUS 7 tuna Combi 6 CP PLUS R	Number of dining seats	4	5
Sleeping spaces (with option of no cab bed) 2+1 2+1 WEIGHT Coss whick weight LIGHT:3,5 T/3,65 T LIGHT:	-	2+2	2+2
Gross vehicle weight LIGHT:3,5T/3,65T LIGHT:5,5T		2+1	2+1
Gross venicle weight ELGHT: 5,5 T / 3,55 T HEAWY: 4,4 T*** Permissible GCW (Gross Combined Weight) [B] LIGHT: 5,5 T HEAWY: 6 T Unladen weight in running order (kg) 3055 3120 CHASSIS FIAT FIAT Engine equipment 2,31-140 hp 2,31-140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 3,8 4,035 Wifeer rear track (m) 1,98 1,98 STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) 85 x 60 185 x 87 Heated Yes Yes HEATING EED SIZES (M) Tuma Combi 6 CP PLUS Tuma Combi 6 CP PLUS EED SIZES (M) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTOMOW (L) Capacity of fresh water tank [C] 120/20 120/20 2 x (850 x 2050) or king size 1	WEIGHT		
Permissible GW (Gross Combined Weight (I) LIGHT (7.5.5) HEAWY: 6 T Unladen weight in running order (kg) 3050 3120 CHASSIS Chassis FIAT FIAT Engine equipment 2,3 L - 140 hp 2,3 L - 140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 3,8 4,035 Wider rear track (m) 1,98 1,98 STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 96 x 87 126 x 114 Access left side (H x W) 85 x 60 110 x 87 Access left side (H x W) 85 x 87 14 x 14 Heated Yes Yes FOR Policy (See See See See See See See See See Se	Gross vehicle weight	LIGHT: 3,5 T / 3,65 T	
CHASSIS FIAT FIAT Engine equipment 2,31-140 hp 2,31-140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 3,8 4,035 Wider rear track (m) 1,98 1,98 STORAGE REA/GEANGE (CM) Internal dimensions (max Hx max W) 96 x87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) 6 85 x 87 Heated 7 ves 7 x 85 x 87 Heated by Petus 110 x 87 Access left side (H x W) 6 7 x 85 x 87 Heated by Petus 7 x 85 x 2050 or king size 1370 x 2060 Petus by Petu	Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T	
Chassis FIAT FIAT Engine equipment 2,3 L - 140 hp 2,3 L - 140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 3,8 4,035 Wilder rear track (m) 1,98 1,98 STORAGE REEA/GARAGE (CM) Internal dimensions (max Hx max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated 7 cess 9 cess Heated 1 cess 1 cess HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of fresh water tank 120 Absorption	Unladen weight in running order (kg)	3055	3120
Engine equipment 2,3 L - 140 hp 2,3 L - 140 hp Anti-pollution standard EURO 6d-temp EURO 6d-temp Wheelbase (m) 3,8 4,035 Wider rear track (m) 1,98 1,98 STORAGE REA/GARGE (CW) Internal dimensions (max Hx max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access right side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MW) Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS Be se bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOWY (L) Capacity of fresh water tank (C) 120/20 120/20 Capacity of waste water tank 120 Absorption Absorption	CHASSIS		
Anti-pollution standard EURO 6d-temp Wheelbase (m) 3,8 4,035 Wider rear track (m) 1,98 1,98 STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rea bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1300 x 1910 2 x (850 x 2050) or king size 1370 x 2060 AUTONOMY (L) AUTONOMY (L) 120/20 120/20 Capacity of fresh water tank [C] 120/20 120/20 Type of refrigerator Absorption Absorption	Chassis	FIAT	FIAT
Wheelbase (m) 3,8 4,035 Wider rear track (m) 1,98 1,98 STORAGE AREA/GARAGE (CKO) Internal dimensions (max H x max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heat Ind Yes Yes HEAT ING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) 2 x (850 x 2050) or king size 1370 x 2060 Quercab drop-down bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of refrigerator Absorption Absorption Absorption	Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp
Wider rear track (m) 1,98 1,98 STORAGE AREA/GARAGE (CM) Internal dimensions (max H x max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank (C) 120/20 120/20 Capacity of waste water tank 120 Absorption Type of refrigerator Absorption Absorption	Anti-pollution standard	EURO 6d-temp	EURO 6d-temp
STORAGE AREA/GARAGE (CM) Internal dimensions (max Hx max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 Absorption	Wheelbase (m)	3,8	4,035
Internal dimensions (max H x max W) 96 x 87 126 x 114 Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	Wider rear track (m)	1,98	1,98
Access right side (H x W) 85 x 60 110 x 87 Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 Absorption	STORAGE AREA/GARAGE (CM)		
Access left side (H x W) - 85 x 87 Heated Yes Yes HEATING Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 Absorption Type of refrigerator Absorption Absorption	Internal dimensions (max H x max W)	96 x 87	126 x 114
Heated Yes Yes HEATING Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1 350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1 400 x 1910 1 400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 Absorption	Access right side (H x W)	85 x 60	110 × 87
HEATING Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	Access left side (H x W)		85 x 87
Type of heating Truma Combi 6 CP PLUS Truma Combi 6 CP PLUS BED SIZES (MM) 2 x (850 x 2050) or king size 1370 x 2060 Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 120 Type of refrigerator Absorption Absorption	Heated	Yes	Yes
BED SIZES (MM) Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	HEATING		
Rear bed 1350 x 1950 2 x (850 x 2050) or king size 1370 x 2060 Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS
Overcab drop-down bed 1400 x 1910 1400 x 1910 AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	BED SIZES (MM)		
AUTONOMY (L) Capacity of fresh water tank [C] 120/20 120/20 Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	Rear bed	1350 x 1950	$2 \times (850 \times 2050)$ or king size 1370×2060
Capacity of fresh water tank [C]120/20120/20Capacity of waste water tank120120Type of refrigeratorAbsorptionAbsorption	Overcab drop-down bed	1400 x 1910	1400 x 1910
Capacity of waste water tank 120 120 Type of refrigerator Absorption Absorption	AUTONOMY (L)		
Type of refrigerator Absorption Absorption	Capacity of fresh water tank [C]	120/20	120/20
	Capacity of waste water tank	120	120
Refrigerator capacity 142 149	Type of refrigerator	Absorption	Absorption
	Refrigerator capacity	142	149

 $GVW\ 3500\ kg = 4\ registered\ seats\ with towing\ capability, or\ 140\ hp\ Automatic\ gearbox)/3\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; GWW\ 3650/4400\ kg = 4\ registered\ seats\ with\ towing\ capability, or\ 140\ hp\ Automatic\ gearbox; gearbox; gearbox; gearbox; gear$

GWN 3500 kg = 4 registered seats without towing capability (except 140 np Automatic gearbox; GWN 3550) kq = 4 registered seats in 140 hp automatic gearbox; GWN 3650/4400 kg = 4 registered seats in 140 hp automatic gearbox; GWN 3650/4400 kg = 4 registered seats with 140 hp automatic gearbox, or 160 hp/180 hp with towing capability; GWN 3650/4400 kg = 4 registered seats

**** HEAVY chassis: GWN = 4400 kg (160 hp/180 hp) (option at additional cost)

[A] Overall height = +45 mm with HEAVY chassis and/or 16" wheels

[B] GVW 3500 kg → GCW 5500 kg; 3650 kg → 5650 kg; 4400 kg → 6600 kg

[C] Fresh water tank can be filled up to 120 L (883F = 140 L), which results in a lower payload.









	883F	886F	896F		
VEHICLE DIMENSIONS (M)					
Overall length	6,99	7,20	7,49		
Overall width	2,35	2,35	2,35		
Overall « garage » width with rear view mirrors open	2,76	2,76	2,76		
Overall height [A]	2,89	2,89	2,89		
SEATS					
Number of seatbelts	2+2	2+2	2+2		
Number of seats (vehicle certificate)	4**	4**	4***		
Number of dining seats	5	4	5		
Sleeping spaces	2+2	2+2	2+2		
Sleeping spaces (with option of no cab bed)	2+1	2 + 1	2+1		
WEIGHT					
Gross vehicle weight	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****	LIGHT : 3,5 T / 3,65 T HEAVY : 4,4 T****		
Permissible GCW (Gross Combined Weight) [B]	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T	LIGHT : 5,5 T HEAVY : 6 T		
Unladen weight in running order (kg)	3070	3065	3100		
CHASSIS					
Chassis	FIAT	FIAT	FIAT		
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp		
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp		
Wheelbase (m)	4,035	4,035	4,035		
Wider rear track (m)	1,98	1,98	1,98		
STORAGE AREA/GARAGE (CM)					
Internal dimensions (max H x max W)	116 x 99	85 x 114	85 x 114		
Access right side (H x W)	110 × 87	110 x 87	110 × 87		
Access left side (H x W)	70 x 87	70 × 87	70 x 87		
Heated	Yes	Yes	Yes		
HEATING					
Type of heating	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS	Truma Combi 6 CP PLUS		
BED SIZES (MM)					
Rear bed	1300/1400 x 2030	1500 x 1940	1600 x 1960		
Overcab drop-down bed	1400 x 1910	1400 x 1910	1400 x 1910		
AUTONOMY (L)					
Capacity of fresh water tank [C]	140/20	120/20	120/20		
Capacity of waste water tank	120	120	120		
Type of refrigerator	Absorption	Absorption	Absorption		
Refrigerator capacity	149	142	149		

SERIE 8F

Equipment and comfort

A-CLASS		856F	866F	8834	8865	896F
CONSTRUCTION	WEIGHT (KG)					
NOVATECH Construction Impact-resistant polyester panels		•	•	•	:	•
Impact-resistant polyester panels		•	•	•	•	•
Polyester floor external protection		•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•
Styrofoam® insulation (walls + roof + floor)		•	•	•	•	•
BODYWORK AND OPENINGS White bodywork, skirt and bumpers				•		•
Living area door with 2-point locking, fixed window and inbuilt bin		P	P	P	P	P
Large living area door L: 540mm		-	•	-	-	•
Living area door mosquito screen		Р	Р	Р	Р	Р
Remote control locking of the cab and living area doors		•	•	•	•	•
Insulated fixed step		•	-	•		-
Insulated fixed step L Retractable electric living area step		•	•	-		•
Living area windows with polyurethane frame		•	•	•	•	•
Double glazed living area windows with blind/fly-screen combination		•	•	•	•	•
Large living room skylight with TEP* finish		•	•	•	•	•
Transparent skylights with fly-screen and blind		•		•		•
External lighting above the living area door		LED	LED	LED	LED	LED
External 230 V and fresh water magnetic hatches HEATING		•	•	•	•	•
TRUMA Combi 6 heating with CP PLUS control panel		•		•		•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet	1	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
Floor heating in living area (230 V)	7	0	0	0	0	0
Additional Webasto 2kW fuel-powered cab heating	8	0	0	0	0	0
Heated waste water tank	15	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PACK
STORAGE Internal underfloor storage boxes (volume in litres)		80	110	110	110	110
Sliding external storage drawer (volume = 45 L; max. load = 25 kg)	18	0	0	0	0	0
Access to storage area/garage from left and right side	10	-	•	•	•	•
Height-adjustable storage area/garage		-	-	-	•	•
Heated storage area/garage		•		•		•
Storage area LED ceiling light rail		• DUD DACK	• DUD DACK	• DUD DACK	RHD PACK	• DUD DACK
External shower with hot and cold water STYLE	1	RHD PACK	RHD PACK	RHD PACK	KIDPACK	RHD PACK
NACARAT (with solid maple wood) or BELLAGIO furniture		•	•	•	•	•
Gloss overhead cupboard doors (BELLAGIO)		0	0	0	0	0
Living room furniture with back-lit cubby (storage compartments) LED		•	•	•	•	•
Cab bed bottom with stitched TEP* design Cab bed skirt with embroidered RAPIDO pattern		•	•	•	•	•
DENVER fabric upholstery		•	- :	- :	- :	•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL and PARIS	5	0	0	0	0	0
Leather upholstery: AUSTIN	8	0	0	0	0	0
Curtains		•	•	•	•	•
LIVING ROOM						
High density resistant foam on living room seats		•	•	•	•	•
Magnetic bench seat backs Laminated table with solid wood moulding (NACARAT) or veneer edges (BELLAGIO)		•	- :	•	- :	•
Folding table		•	•	•	•	•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 520 L x 340 H x 80 D		•	•	•	•	•
Speakers in the living area		•	•	•	•	•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•		•		•
3 assorted cushions to living room style		•	•	•	•	•
Day/night partition Day/night partition with machined decor		•	-	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
Face-to-face bench seat armrests		•	•	•	•	•
				LED	LED	LED
Internal living area lighting		LED	LED	LED	LLU	
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit	11					
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN	11	LED RHD PACK	LED RHD PACK	LED RHD PACK	LED RHD PACK	LED RHD PACK
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop	11	LED	LED	LED	LED	LED
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension	11	LED RHD PACK	LED RHD PACK	LED RHD PACK	LED RHD PACK	LED RHD PACK
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack	11	LED RHD PACK •	LED RHD PACK	LED RHD PACK •	LED RHD PACK	LED RHD PACK •
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts	11	LED RHD PACK LED	LED RHD PACK LED	LED RHD PACK • • LED	LED RHD PACK LED LED	LED RHD PACK • • LED
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking	11	LED RHD PACK LED LED	LED RHD PACK LED LED	LED RHD PACK LED LED	LED RHD PACK LED	LED RHD PACK LED LED
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Full-height sliding storage	11	LED RHD PACK LED LED LED	LED RHD PACK LED LED LED LED LED LED LED	LED RHD PACK LED LED	LED RHD PACK LED LED LED LED LED LED LED	LED RHD PACK LED LED - - - - - - - - - - - -
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Full-height sliding storage Chlomed brass kitchen tap with ceramic cartridge	11	LED RHD PACK LED LED	LED RHD PACK LED LED	LED RHD PACK LED LED	LED RHD PACK LED	LED RHD PACK LED LED .
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit XITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Full-height sliding storage Chromed brass kitchen tap with ceramic cartridge 2-burner stainless steel stove with separate black covers and piezo ignition	11	LED RHD PACK LED	LED RHD PACK LED	LED RHD PACK LED LED .	LED RHD PACK LED	LED RHD PACK LED
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Full-height sliding storage Chromed brass kitchen tap with ceramic cartridge 2-burner stainless steel stove with separate black covers and piezo ignition 3-burner stainless steel stove with separate black covers and piezo ignition	11	LED RHD PACK LED LED LED	LED RHD PACK LED LED LED LED LED LED LED	LED RHD PACK LED LED	LED RHD PACK LED LED LED LED LED LED LED	LED RHD PACK LED LED .
Internal living area lighting Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Full-height sliding storage Chromed brass kitchen tap with ceramic cartridge 2-burner stainless steel stove with separate black covers and piezo ignition 3-burner stainless steel stove with separate black covers and piezo ignition Refrigerator grill covers (for winter use) Built-in cooker hood with LED lighting 28-litre oven with grill	11	LED RHD PACK LED	LED RHD PACK LED	LED RHD PACK LED LED .	LED RHD PACK LED	LED RHD PACK LED

A-CLASS		856F	8666	8834	8865	8968
ATHROOM	WEIGHT (KG)					
hrome finish bathroom accessories entral XXL bathroom with double partition		•	•	•	•	•
hower column with slate grey Plexiglas finish		•	•	•	•	•
ndependent shower		-	•	•	•	•
/ater-saving shower head (-22%) lothes drying rack		•	•	•	•	•
tainless steel basin with brass mixer tap and ceramic cartridge		•	-	•	-	-
hermomoulded rectangular basin with brass mixer tap and ceramic cartridge		-	•	-	•	•
amping toilet with removable tank, telescopic handle and castors		•	•	•	•	•
uick-clean thermoformed toilet cassette compartment		-	•	•	•	•
ermanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•	•	•	•	•
ermanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack	15	-	-	-	•	•
/all-mounted wardrobes with push lock system ide storage alcoves with USB plugs and 12 V outlet		-	-	-	•	•
abric-covered backlit headboard		•	•	•	•	•
eclinable headboard on permanent bed		-	-	-	•	•
etractable central bed base		-	-	-	•	•
aisable footboard for easier wardrobe access (high twin beds)		-	•	-	-	-
lattress topper with memory foam on permanent bed assorted cushions to bedroom style	6	0	0	0	0	0
assorted custions to bedroom style econd TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•
NERGY & COMFORT						
Maintenance-free » leisure battery with coupler and separator (100 Ah)	-	• DIED DACK	•	•	• BUID DAGI	01:0.0:0
Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery) 2Ah AGM leisure battery	24	RHD PACK O	RHD PACK O	RHD PACK O	RHD PACK O	RHD PAC
zan agm leisure battery econd 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	0	0	0	0	0
Coming-home » mode with automatic awning light and electric entry step		•	•	•	•	•
ontrol panel		•	•	•	•	•
entralised Fuse box with protected « accessories » exits		•	•	•	:	•
xternal 230 V connection sternal 230 V plug		4	4	4	4	4
nternal 12 V plug		5	5	5	5	5
nternal 5V USB port		5	5	5	5	5
utomatic inverter with anti-crash system, enabling you to travel with the heating on		Р	Р	Р	Р	P
olar panel wiring setup entralised water distribution (access to all fittings)		•	:	•	:	•
QUIPMENT OF THE CARRIER		•				
3-litre 140 hp engine (only available for the LIGHT chassis)		•	•	•	•	•
3-litre 160 hp engine with ECO PACK (weight of 160 hp/140 hp)	20	0	0	0	0	0
3-litre 180 hp engine with ECO PACK (weight of 180 hp/160 hp)	2	0	0	0	0	0
CO PACK: Stop & Start and boosted 200 Amp alternator (standard for 160 hp and 180 hp) dBlue® tank (litres)	3	0 19	0 19	0 19	0 19	0 19
5 L diesel tank		•	•	•	•	•
utomatic 9-speed gearbox (requires 16" light alloy rims and ECO PACK)	15/58**	0	0	0	0	0
hassis 35L: possibility of 3.65T GW	40	•	•	•	•	•
eavy chassis = GVW 4,4 T (160 hp/180 hp) BS braking	40	-	0	0	0	0
pecial motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder		Р	Р	P	P	P
raction+ with Hill Descent Control (helps control speed downhill)	2	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
ruise control with limiter		Р	Р	Р	Р	P
river and passenger air bags ngine cold start assistance (Blow-by)		•	•	•	•	•
ngine cold start assistance (blow-by)		•	•	•	•	•
PMS (automatic tyre pressure monitoring system)		0	0	0	0	0
nd remote key		Р	Р	Р	Р	Р
ED day running lights		• DUD DACK	• DUD DAGU	• DUD DACK	• DUD DACK	• DUD DAG
og lights us-style wing mirrors: electric and de-icing/white	1	RHD PACK P	RHD PACK P	RHD PACK P	RHD PACK P	RHD PAC
us-style wing mirrors: electric and de-icing/winte us-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/ white		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
tabilising jacks at the back or in the wheelbase	5	RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
ight alloy FIAT rims: 15"	-5	0	0	0	0	0
ight alloy FIAT rims: 16" (+4.5 cm vehicle height) ow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)	12	O 65	70	70	70	O 70
lotorcycle carrier + Tow bar [A] (option weight ± 5 kg)		105	110	110	110	110
otorcycle carrier [A] (option weight ± 5 kg)		80	85	85	85	85
x and go kit		•	•	•	•	•
QUIPMENT OF THE CAB						
river door with electric windows river door with 2-point locking		• P	P	• P	P	• P
river door with 2-point locking ab seats height adjustable		P	P	P	P	P P
riginal rotating cab seats with fabric to match the living area		•	•	•	•	•
nbroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•
up holder		•	•	•	•	•
anual cab air-conditioning utomatic cab air-conditioning	1	0	0	0	0	0
ick-assisted foldaway cab bed with slat base and BULTEX® foam mattress	1	•	•	•	•	•
ack thermoformed dashboard		•	•	•	•	•
nrome-ringed instruments		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
eather steering wheel and gear knob		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
AB KENWOOD® multimedia system with 6.2" screen AB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions		P 0	P 0	P 0	P 0	P 0
AB KENWOOD" multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions ear view camera with control screen built into the dashboard		P	P	P	P	P
PS navigation	2	0	0	0	0	0
adio controls on steering wheel		RHD PACK	RHD PACK	RHD PACK	RHD PACK	RHD PAC
echanical wind-down sunshade		•	•	•	•	•
nted windows		• P	• P	• P	• P	• P
nermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)	5	P 0	P 0	P 0	P 0	P 0
mer exterior mouldfull	J J					
puble-glazed side bays in cab (except driver's door)	10	0	0	0	0	0

PACKS (option)

SELECT PACK: Series C, 6F and 8F | SELECT + PACK: Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6.2" screen (C, 6F, 8F)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions (80dF)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder

- Traction+ with Hill Descent Control (80dF)
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen **(C, 6F)**
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (8F, 80dF)
- Living area door with 2-point locking, fixed window **(C)**

- Living area door with 2-point locking, fixed window and inbuilt bin (6F, 8F, 80dF)
- Driver's door with 2-point locking (8F, 80dF)
- Living area door flyscreen
- 2nd remote key
- Second living-area battery (C)
- Automatic Duo Control gas inverter (6F, 8F, 80dF)

EXECUTIVE PACK: Serie DISTINCTION

- Rear view camera with night vision (Double view on i10)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric on **i10**)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

M PACK: Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)



414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation:

MPM = (DxTx1000)/[(Tx9,81)-(1000xD)], with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.