

# LIVE, LOVE, TRAVEL



French Charm & Expertise

## **SERIE C**

## **Technical data**

#### REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additi onal equipment he installed or has had installed in the vehicle.

2021



2021









	C55	C56	C86
VEHICLE DIMENSIONS (M)			
Overall length	6,72	5,99	6,99
Overall width	2,17	2,17	2,17
Overall « garage » width with rear view mirrors open	2,55	2,55	2,55
Overall height [A]	2,75	2,75	2,75
SEATS			
Number of seatbelts	2+2	2+2	2+2
Number of seats (vehicle certificate)	4	4	4
Number of dining seats	5	5	4
Sleeping spaces	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight	LIGHT: 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T	LIGHT : 3,5 T / 3,65 T
Permissible GCW (Gross Combined Weight) [B]	LIGHT: 5,5 T	LIGHT : 5,5 T	LIGHT : 5,5 T
Unladen weight in running order (kg)	2890	2760	2935
CHASSIS			
Chassis	FIAT	FIAT	FIAT
Engine equipment	2,3 L - 140 hp	2,3 L - 140 hp	2,3 L - 140 hp
Anti-pollution standard	EURO 6d-temp	EURO 6d-temp	EURO 6d-temp
Wheelbase (m)	3,8	3,45	4,035
STORAGE AREA/GARAGE (CM)			
Internal dimensions (max H x max W)	115 × 100	64 x 110	110 × 100
Access right side (H x W)	100 x 75	-	100 x 75
Access left side (H x W)	100 x 75	55 x 60	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS	Truma Combi 4 DIESEL CP PLUS
BED SIZES (MM)			
Rear bed	800 x 1990 + 800 x 1850 or king size 1370 x 1980	1330 x 2040	1400 × 1960
Extra dinette bed	780/1100 x 1880	780/1100 × 1880	740 x 1930
AUTONOMY (L)			
Capacity of fresh water tank [C]	110/20	110/20	120/20
Capacity of waste water tank	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator capacity	90	90	133

<sup>[</sup>A] Overall height = +45 mm with 16" wheels [B] GW 3500/3650 kg  $\rightarrow$  GCW 5500 kg [C] Fresh water tank can be filled up to 110 L (120 L for the C86), which results in a lower payload.

# **Equipment and comfort**

### LOW PROFILE

CONSTRUCTION **NOVATECH Construction** Impact-resistant polyester panels Impact-resistant polyester roof Polyester floor external protection Floor bodywork with polyurethane Styrofoam® insulation (walls + roof + floor) BODYWORK AND OPENINGS White bodywork, skirt and bumpers Living area door with 2-point locking, fixed window Living area door mosquito screen Remote control locking of the cab and living area doors Retractable electric living area step Living area windows with polyurethane frame Double glazed living area windows with blind/fly-screen combination SKYVIEW panoramic roof Large living room skylight with TEP\* finish Transparent skylights with fly-screen and blind External lighting above the living area door Aluminium side skirt line External 230 V and fresh water magnetic hatches HEATING TRUMA Combi 4 DIESEL heating with CP PLUS control panel TRUMA Combi 6 EH DIESEL (diesel + electricity) heating with CP PLUS control RHD PACK Floor heating in living area (230 V) 0 TRUMA SKYVIEW heating duct Heated waste water tank STORAGE Access to storage area/garage from left and right side \*only on the C55 and C86 Storage area/garage with left and right lowered floor \*only on the C55 and C86 Height-adjustable storage area/garage \*only on C86 Heated storage area/garage Storage area LED ceiling light rail External shower with hot and cold water STYLE NACARAT (with solid maple wood) or BELLAGIO furniture Gloss overhead cupboard doors (BELLAGIO) DENVER fabric upholstery Fabric/TEP\* upholstery: MANCHESTER, MONTREAL and PARIS Leather upholstery: AUSTIN LIVING ROOM Telescopic table leg/Extra occasional berth High density resistant foam on living room seats Magnetic bench seat backs \*only on the C86 Laminated table with solid wood moulding (NACARAT) or veneer edges Folding table Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 430 L x 550 H x 70 D Speakers in the living area Spotlight base under overhead cupboards with inbuilt USB port and dimmer 3 assorted cushions to living room style Day/night partition \*only on the C55 and C86 3-point retractable safety belts (cab and living space) 2+2 Height-adjustable headrests \*only on the C55 and C56 Face-to-face bench seat armrests \*only on the C86 Internal living area lighting LED Ambience lighting in the living room/kitchen/bedroom Living area and cab carpet kit KITCHEN Laminated worktop Worktop extension LED Lighting under the bench Backlit kitchen window cladding with built in spice rack Kitchen unit drawers with glossy white fronts Self-closing drawers with electric central locking Sliding storage \*only on the C56 Chromed brass kitchen tap with ceramic cartridge Overhanging 2-hob screen-printed glass camping stove with glass cover Built-in cooker hood with LED lighting 18-litre oven no grill \*only on C86 23-litre oven with grill \*only on C55 and C56 BATHROOM Chrome finish bathroom accessories Central XXL bathroom with double partition \*only on the C86 Shower column with slate grey Plexiglas finish Independent shower \*only on the C86 DUO'SPACE for optimised spaces \*only on the C55 Water-saving shower head (-22%) Clothes drying rack Stainless steel basin with brass mixer tap and ceramic cartridge \*only on the C56  $\,$ White basin with brass mixer tap and ceramic cartridge \*only on the C55 Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge \*only on the C86 Teak-style shower duckboard \*only on the C55 and C56 Camping toilet with removable tank, telescopic handle and castors Quick-clean thermoformed toilet cassette compartment \*only on the C55 and C86  $\,$ 

**C55 C56 C86** 

				_
BEDROOM			IGHT (KG)	)
	se frame and active slats, with highly durable			•
	≈ 20 cm), adjustment using hydraulic jack *or	ily on C86	15	*
Wall-mounted wardrobes with push lock system *only on the C86 Side storage alcoves with USB plugs and 12 V outlet *only on the C86				*
	s and 12 V outlet "only on the C86			*
Fabric-covered backlit headboard	obe access (high twin beds) *only on the C55			
Mattress topper with memory foan	, , ,		6	*
4 assorted cushions to bedroom st			-0	0
	.2V/coaxial/HDMI wiring *only on the C55 and	1086		*
ENERGY & COMFORT	22/coaxia/HBMI WITING ONLY OF the C55 and	1000		т
	with coupler and separator (100 Ah)			•
	battery (requires « maintenance-free » first l	eisure battery)	24	Р
92 Ah AGM leisure battery + second		,,	6	0
	natic awning light and electric entry step			•
Control panel	, , , , , , , , , , , , , , , , , , ,			•
Centralised Fuse box with protecte	d « accessories » exits			•
External 230 V connection				•
Internal 230 V plug				5
Internal 12 V plug *5 on C55 and C8	6 / 4 on C56			*
Internal 5 V USB port *4 on C55 and	C56 / 5 on C86			*
Solar panel wiring setup				•
Centralised water distribution (acco	ess to all fittings)			•
EQUIPMENT OF THE CARRIER				
2.3-litre 140 hp engine				•
2.3-litre 160 hp engine with ECO PA			20	0
2.3-litre 180 hp engine with ECO PA				0
	d 200 Amp alternator (standard for 160 hp and	d 180 hp)	3	0
AdBlue® tank (litres)				19
75 L diesel tank	+011 L . II		= /= 0 + 4	•
	es 16" light alloy rims and ECO PACK)	1	15/58**	0
Chassis 35L: possibility of 3.65T GV	N			•
ABS braking	in Donulation (ACD) Ball Over Mitigation (DO)	4\ am d 11:11 11a1dau		P
Traction+ with Hill Descent Control	lip Regulation (ASR), Roll Over Mitigation (ROM	i) and Hill Holder	2	RHD PACK
Cruise control with limiter	(neips control speed downmit)			P
		andiabte sendaine		Г
recognition system and light/rain s	ing system, centre line crossing alert, smart h	eadlights, road sign	1	0
Driver and passenger air bags	2113013			
Engine cold start assistance (Blow-	av)			•
Engine immobiliser	59)			•
TPMS (automatic tyre pressure mo	nitoring system)			0
2nd remote key				P
Glossy black grill				•
Daytime running lights				•
LED day running lights				0
Fog lights			1	RHD PACK
Electric de-frosting side mirrors				Р
Stabilising jacks at the back or in th	e wheelbase		5	RHD PACK
Light alloy FIAT rims: 15"			-5	0
Light alloy FIAT rims: 16" (+4.5 cm v	ehicle height)		12	0
Tow bar [A] (2,000 kg maximum sul	oject to GCW limit) [B] (option weight ± 5 kg)			*
*65 on C55/56 and 70 on C86				Τ.
Motorcycle carrier + Tow bar [A] (o)	ation weight $\pm$ 5 kg) *105 on C55/56 and 110 o	n C86		*
	nt ± 5 kg) *80 on C55/56 and 85 on C86			*
Fix and go kit				•
EQUIPMENT OF THE CAB				
Cab door(s) with electric windows				•
Cab seats height adjustable	de terror et de the 18 de moner			Р
Original rotating cab seats with fab Embroidered cab headrest covers (				•
TOUCH reading spotlight in cab	embossed for leather uphotstery)			•
Cup holder				
Manual cab air-conditioning				•
Automatic cab air-conditioning			1	0
Chrome-ringed instruments				RHD PACK
Leather steering wheel and gear kn	oh			RHD PACK
DAB KENWOOD® multimedia system				P
	n with 7" screen and APPLE CAR PLAY/ANDRC	OID AUTO functions		0
Rear view camera with control scre				P
GPS navigation			2	0
Radio controls on steering wheel				RHD PACK
Mecanical sunshades				•
Tinted windows				•
	nd runner blinds for windscreen			Р
Thermal flap blinds for cab doors a	na ranner binas for winascreen			
Thermal flap blinds for cab doors a Winter exterior insulation	na ranner banas for windsereen		5	0

TEP: Polvamide-coated fabric.

<sup>\*\* 140</sup> hp: 58 kg, 160/180 hp: 15 kg

<sup>[</sup>A] Possible reduction in registered seats.

<sup>• =</sup> Standard, O = Option, P = SELECT Pack

# PACKS (option)

### SELECT PACK: Series C, 6F and 8F | SELECT + PACK: Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6.2" screen (C, 6F, 8F)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions (80dF)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control (80dF)
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen (C, 6F)
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (8F, 80dF)
- Living area door with 2-point locking, fixed window **(C)**

- Living area door with 2-point locking, fixed window and inbuilt bin (6F, 8F, 80dF)
- Driver's door with 2-point locking (8F, 80dF)
- Living area door flyscreen
- 2nd remote key
- Second living-area battery (C)
- Automatic Duo Control gas inverter (6F, 8F, 80dF)

### **EXECUTIVE PACK: Serie DISTINCTION**

- Rear view camera with night vision (Double view on i10)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric on **i10**)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

### M PACK: Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)



### 414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation:

MPM = (DxTx1000)/[(Tx9,81)-(1000xD)], with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.