



LIVE, LOVE, TRAVEL



French Charm
& Expertise


SERIE M

Technical data

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/- 5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GWW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



VEHICLE DIMENSIONS (M)		
Overall length	7,54	7,54
Overall width	2,35	2,35
Overall « garage » width with rear view mirrors open	2,76	2,76
Overall height	2,95	2,95
SEATS		
Number of seatbelts	2+2	2+2
Number of seats (vehicle certificate)	3*	3*
Number of dining seats	5	5
Sleeping spaces	2+2	2+2
Sleeping spaces (with option of no cab bed)	2+1	2+1
WEIGHT		
Gross vehicle weight	LIGHT : 3,5 T / 3,88 T HEAVY : 4,5 T	LIGHT : 3,5 T / 3,88 T HEAVY : 4,5 T
Permissible GCW (Gross Combined Weight)	LIGHT/HEAVY : 5,5 T	LIGHT/HEAVY : 5,5 T
Unladen weight in running order (kg)	3175	3175
CHASSIS		
Chassis	MERCEDES AL-KO	MERCEDES AL-KO
Engine equipment	2,2 L - 143 hp	2,2 L - 143 hp
Anti-pollution standard	Euro VI	Euro VI
Wheelbase (m)	4,2	4,2
Wider rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM)		
Internal dimensions (max H x max W)	120 x 114	120 x 114
Access right side (H x W)	112 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet	Truma Combi 6 CP PLUS & iNet / OPTION ALDE & iNet
BED SIZES (MM)		
Rear bed	2 x (850 x 2100) or king size 1370 x 2060	1600 x 1980
Overcab drop-down bed	1400 x 1910	1400 x 1910
AUTONOMY (L)		
Capacity of fresh water tank [A]	130/20	130/20
Capacity of waste water tank	110	110
Type of refrigerator	Absorption	Absorption
Refrigerator capacity	177	177

* GWW 3500 kg = 3 registered seats manual gearbox, or automatic gearbox without towing capability / 2 registered seats Automatic gearbox with towing capability ; GWW 3880/4500 kg = 4 registered seats
[A] Fresh water tank can be filled up to 130 L, which results in a lower payload.

All data (weight / measures) are indicated with a tolerance of 5%.
MERCEDES chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the value shown in the catalogue based on a manual gearbox and entry level engines with no towing capability.
The weight of these elements must therefore be deducted from the vehicle's payload.

Equipment and comfort

A-CLASS

CONSTRUCTION	WEIGHT (KG)	
NOVATECH Construction		•
Impact-resistant polyester panels		•
Impact-resistant polyester roof		•
Polyester floor external protection		•
Floor bodywork with polyurethane		•
Styrofoam® insulation (walls + roof + floor)		•
Storage area in robust polyurethane		•
BODYWORK AND OPENINGS		
White bodywork, skirt and bumpers		•
Living area door with 2-point locking, fixed window and inbuilt bin		•
Large living area door L: 540 mm		•
Living area door mosquito screen		•
Remote control locking of the cab and living area doors		•
Insulated fixed step L		•
Retractable electric living area step		•
Retractable electric driver's doorstep	O	•
Living area windows with polyurethane frame		•
Double glazed living area windows with non-woven blinds and flyscreen		•
Large living room skylight with backlit TEP* finish		•
Bedroom skylight with backlit TEP* finish		•
Transparent skylights with flyscreen and blind		•
External lighting above the living area door	LED	•
External 230 V and fresh water magnetic hatches		•
HEATING		
TRUMA Combi 6 heating with CP PLUS control panel		•
TRUMA Combi 6 EH (gas and electricity) heating with CP PLUS control panel & iNet iNet	1	RHD PACK •
ALDE Comfort Plus Arctic central heating with FROST Control + bedroom temperature control	65	O •
Heating distributed via the living room table leg (except telescopic leg) *as standard for ALDE		* •
Additional MERCEDES heating *as standard for ALDE		* •
ALDE living area floor heating with hot water (only available with ALDE option)	8	O •
TRUMA windscreen heating duct (not compatible with WEBASTO)		•
Additional Webasto 2kW fuel-powered cab heating *option for ALDE	8	* •
Heated waste water tank		•
External heating inspection hatch (drain access, maintenance)		•
STORAGE		
Transverse storage double floor with internal and external access		•
Heated, lit double floor		•
Access to storage area/garage from left and right side		•
Storage area/garage with left and right lowered floor		•
Height-adjustable storage area/garage *only on the M96		* •
Heated storage area/garage		•
Storage area LED ceiling light rail		•
External shower with hot and cold water	1	RHD PACK •
STYLE		
NACARAT (with solid maple wood) or DUNA furniture		•
White gloss overhead cupboard doors		•
Cab bed bottom with stitched TEP* design and LED lights		•
Cab bed skirt with embroidered RAPIDO pattern		•
Fabric/TEP* upholstery: MANCHESTER, MONTREAL, PARIS, MILAN and TORONTO		•
Leather upholstery: AUSTIN	8	O •
Eyelet net curtains on rods		•
Living room and bedroom indirect lighting dimmer		•
LIVING ROOM		
High density resistant foam on living room seats		•
Magnetic bench seat backs		•
Laminated table with solid wood moulding (NACARAT) or 3D duo veneer edges (DUNA)		•
Folding table		•
Flat screen TV space with 12 V - coaxial pre-cabling - HDMI / dimensions in mm: 805 L x 500 H x 70 D		•
Built in TV unit with backlighting and storage		•
Speakers in the living area		•
Spotlight base under overhead cupboards with inbuilt USB port and dimmer		•
3 assorted cushions to living room style		•
Day/night partition		•
3-point retractable safety belts (cab and living space)	2+2	•
Face-to-face bench seat armrests		•
Internal living area lighting	LED	•
Ambience lighting in the living room/kitchen/bedroom	LED	•
Living area and cab carpet kit	11	RHD PACK •
KITCHEN		
Laminated worktop		•
Worktop extension		•
Lighting under the bench		LED •
Backlit kitchen window cladding with built in spice rack		•
Kitchen unit drawers with glossy white fronts		•
Self-closing drawers with electric central locking		•
Chromed brass kitchen tap with ceramic cartridge		•
2-burner stainless steel stove with separate black covers and piezo ignition		•
3-burner stainless steel stove with separate black covers and piezo ignition		RHD PACK •
Refrigerator with double hinge door (left or right opening)		•
Extra-deep fridge		•
Refrigerator grill covers (for winter use)		•
Stylish extractor hood with touch control façade		P •
25-litre oven with grill	21	RHD PACK •
BATHROOM		
Chrome finish bathroom accessories		•
Central XXL bathroom with double partition		•
Shower column with slate grey Plexiglas finish and customisable backlighting		•
Independent shower		•
Water-saving shower head (-22%)		•
Clothes drying rack		•
Thermomoulded rectangular basin with brass mixer tap and ceramic cartridge		•
Camping toilet with removable tank, telescopic handle and castors		•
Quick-clean thermoformed toilet cassette compartment		•

M66

M96

BEDROOM	WEIGHT (KG)	
Permanent bed with aluminium base frame and active slats, with highly durable BULTEX® foam mattress		•
Permanent height-adjustable bed (≈ 30 cm), adjustment using hydraulic jack *only on the M96		*
Backlit wall-mounted wardrobes with push lock system *only on the M96		*
Storage drawer on foot of central bed *only on the M96		*
Side storage alcoves with USB plugs and 12 V outlet *only on the M96		*
Fabric-covered backlit headboard		•
Reclinable headboard on permanent bed *only on the M96		*
Retractable central bed base *only on the M96		*
Raisable footboard for easier wardrobe access (high twin beds) *only on the M66		*
Mattress topper with memory foam on permanent bed	6	O •
4 assorted cushions to bedroom style		•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•
ENERGY & COMFORT		
« Maintenance-free » leisure battery with coupler and separator (100 Ah)	24	RHD PACK •
« Maintenance-free » second leisure battery (requires « maintenance-free » first leisure battery)		•
LITHIUM battery setup - SUPER B READY		•
90Ah SUPER B EPSILON LITHIUM-leisure battery	-10	O •
Second 90Ah SUPER B EPSILON LITHIUM-leisure battery (total capacity = 180 Ah, requires LITHIUM first leisure battery)	13	O •
92Ah AGM leisure battery	3	O •
Second 92 Ah AGM leisure battery (requires AGM first leisure battery)	3	O •
« Coming-home » mode with automatic awning light and electric entry step		•
Living area entry step backlighting when door opens		•
Digital control panel		•
NOVABOX: Better access to service area		•
Centralised Fuse box with protected « accessories » exits		•
External 230 V connection		•
Internal 230 V plug	6	•
Internal 12 V plug	6	•
Internal 5V USB port	9	•
Automatic inverter with anti-crash system, enabling you to travel with the heating on		•
Solar panel wiring setup		•
Centralised water distribution (access to all fittings)		•
EQUIPMENT OF THE CARRIER		
2.2-litre 143 hp engine		•
2.2-litre 170 hp engine (weight of 170 hp/143 hp)	10	O •
Stop & Start		•
AdBlue® tank (litres)		22 •
65 L diesel tank		•
92 L diesel tank *as standard for HEAVY chassis		* •
Fuel filter and water separator		P •
Automatic 9-speed gearbox: 9G TRONIC	30	O •
Electric parking brake		P •
Heavy chassis = GVW 4,5 T (143 hp/170 hp)	40	O •
ABS (anti-lock brake system), ASR (traction control), EBV (electronic braking variator) and ESP (electronic stability programme)		•
MERCEDES engine compartment insulation and cladding under engine		•
Hill start assistance		•
DISTRONIC active distance control assistant	O	•
TEMPOMAT cruise control with speed limiter		•
Driver and passenger air bags		•
Engine cold start assistance (Blow-by)		•
Engine immobiliser		•
TPMS (automatic tyre pressure monitoring system)		O •
2nd remote key		•
Keyless start		P •
LED day running lights		•
100% LED front lights		O •
Fog lights		P •
Automatic headlights		P •
Bus-style wing mirrors: electric, de-icing, double-view (Fixed wide angle lens)/two-tone		•
Reinforced front axle suspension		•
Independent rear wheel suspension (AL-KO)		•
Stabilising jacks at the back or in the wheelbase	5	RHD PACK •
Stabilising jacks HEAVY model specifics *as standard for HEAVY chassis		* •
Stability system in the event of cross winds		P •
16" steel rims		•
16" light alloy MERCEDES rims	2	O •
17" light alloy MERCEDES rims *option for HEAVY chassis	-4	* •
Tow bar [A] (2,000 kg maximum subject to GCW limit) [B] (option weight ± 5 kg)		53 •
Motorcycle carrier + Tow bar [A] (option weight ± 5 kg)		100 •
Motorcycle carrier [A] (option weight ± 5 kg)		65 •
Fix and go kit		•
EQUIPMENT OF THE CAB		
Driver door with electric windows		•
Driver door with 2-point locking		P •
Cab seats height adjustable		•
Embroidered cab headrest covers (embossed for leather upholstery)		•**
AGUTI rotating cab seats in fabric matching the living area		•
Cup holder		•
Fold-down lids on central and side coin trays		P •
MERCEDES MBUX 10.25" multimedia system with GPS navigation and DAB technology		P •
Semi-automatic TEMPOMATIC cab air conditioning		P •
THERMOTRONIC automatic cab air conditioning	2	O •
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•
Black thermoformed dashboard		•
Chrome-ringed instruments		•
Leather steering wheel and gear knob (only leather steering wheel for automatic gearbox)		P •
Rear view camera with control screen built into the dashboard		P •
Height- and angle-adjustable multi-function steering wheel		P •
Mechanical wind-down sunshade		•
Tinted windows		•
Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)		P •
Winter exterior insulation	5	O •
Double-glazed side bays in cab (except driver's door)	10	O •
Without cab bed, with retractable table leg for bed position		O •

* TEP: Polyamide-coated fabric. ** PARIS and AUSTIN atmosphere exclusively. [A] Possible reduction in registered seats. [B] See back page.

• = Standard, O = Option, P = M Pack

PACKS (option)

SELECT PACK : Series C, 6F and 8F | SELECT + PACK : Serie 80dF

- Rear view camera with night vision
- DAB KENWOOD® multimedia system with 6.2" screen **(C, 6F, 8F)**
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions **(80dF)**
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control **(80dF)**
- Electric de-frosting wing mirrors
- Height-adjustable cab seats
- Thermal flap blinds for cab doors and runner blinds for windscreen **(C, 6F)**
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) **(8F, 80dF)**
- Living area door with 2-point locking, fixed window **(C)**
- Living area door with 2-point locking, fixed window and inbuilt bin **(6F, 8F, 80dF)**
- Driver's door with 2-point locking **(8F, 80dF)**
- Living area door flyscreen
- 2nd remote key
- Second living-area battery **(C)**
- Automatic Duo Control gas inverter **(6F, 8F, 80dF)**

EXECUTIVE PACK : Serie DISTINCTION

- Rear view camera with night vision (Double view **on i10**)
- DAB KENWOOD® multimedia system with 7" screen and APPLE CAR PLAY/ANDROID AUTO functions
- IBS: display showing the remaining battery time left
- Driver's door with 2-point locking
- Memory foam mattress topper on permanent bed
- Leather steering wheel and gear knob
- KENWOOD® radio controls on steering wheel
- Radio remote control (on/off, volume and stations) from the bed
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen) (electric **on i10**)
- Cruise control with speed limiter
- Special motorhome ESC with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM) and Hill Holder
- Traction+ with Hill Descent Control
- Fog lights
- Stabilising jacks at the back or in the wheelbase
- Chrome-ringed instruments
- 2nd remote key

M PACK : Serie M

- MERCEDES MBUX 10,25" Multimedia system with GPS navigation and DAB technology
- Height- and angle-adjustable multi-function steering wheel
- Rear view camera with control screen built into the dashboard
- Semi-automatic TEMPMATIC cab air conditioning
- Leather steering wheel and gear knob (only leather steering wheel for automatic gearboxes)
- Fold-down lids on central and side coin trays
- Electric parking brake
- Fog lights
- Automatic headlights
- Stability system in the event of cross winds
- Keyless start
- Fuel filter and water separator
- Driver's door with 2-point locking
- Stylish extractor hood with touch control façade
- Thermal sliding, dual-pleat windscreen blind: up/down (sunshade) and down/up (privacy screen)

RAPIDO
www.rapido.fr

414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. +33 2 43 30 10 70 - FAX +33 2 43 30 10 71

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO production is intended for export, the characteristics of the models may vary from one country to another; for an exact definition of the models marketed, we request you to consult your dealer. RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.

[B] The technically permissible towable mass of the motor vehicle is a piece of information associated with the type approval of the completed vehicle. Based on the towbar that will be mounted on the vehicle and specific values given by the manufacturer of the towbar and the tow ball, the maximum trailer mass that the vehicle can pull may be less. The characteristics of towbar and tow ball resistance (in particular values D and S) are engraved on a plate fixed on it. Value D allows to calculate the maximum permissible mass for the towbar (MPM) with the following calculation: $MPM = (D \times T \times 1000) / [(T \times 9,81) - (1000 \times D)]$, with T = maximum vehicle mass (GVW) (in kg) and D = value (in kN) indicated on the towbar. The maximum trailer mass (in kg) is thus less than or equal to the MPM for a maximum towable mass of the vehicle that may be up to 2000 kg.